


NEW  
PRODUCTS

**Kellermann**®  
high quality products made in germany

# NEW PRODUCTS

**MICRO S DARK FRONT/REAR INDICATOR,  
MICRO S DF DARK INDICATOR WITH REAR-/BRAKELIGHT &  
VARIABLE FRONT MOUNTING ADAPTOR M6**



WE SUPPORT THE SPORT®

[WWW.PARTSEUROPE.EU](http://WWW.PARTSEUROPE.EU)

**PARTS**  
**EUROPE**

**MICRO S DF DARK  
INDICATOR WITH REAR-/BRAKELIGHT**

- Replaces the existing rear/brake light as well as indicators
- Sensational new rear look
- EXtranz® - Extreme Optical Transparency Technology
- Kellermann HighPower LED Technology
- Longlife Protection Guard®, IC operated, 330 kHz
- High quality metal housing, Smoke lens
- Suitable for 12 volt DC applications, with M5 x 0,5 x 6,5 mm thread
- European design protection
- ECE-tested for rear
- Article dimensions / weight: 34,5 mm length x 10 mm width x 10,5 mm height / 10 g
- Sold each



**DESCRIPTION**  
MICRO S DF DARK

**PART #**  
**2040-2274**

**MICRO S DARK  
FRONT/REAR INDICATOR**

- Strongly tinted glass – spectacularly bright
- EXtranz® - Extreme Optical Transparency Technology
- Kellermann HighPower LED Technology
- Long Life Protection Guard®, IC operated, 330 kHz
- High quality metal housing, Smoke lens
- Suitable for 12 volt DC applications, with M5 x 0,5 x 6,5 mm thread
- European design protection
- ECE-tested for front and rear
- Article dimensions / weight: 34,5 mm length x 10 mm width x 10,5 mm height / 10 g
- Sold each



**DESCRIPTION**  
MICRO S DARK

**PART #**  
**2040-2436**

**VARIABLE MOUNTING ADAPTOR M6  
FRONT**

- This adaptor offers a clean and easy solution for various mounting options and thus replaces an otherwise complex custom-made construction
- It consists of two parts: A clamping sheet and a shank nut with an M6 internal thread.  
The clamping sheet, which can be shifted and rotated on the shank nut, is compatible with any M5 threaded lamp (Atto®, micro S, Rhombus S) at every angle
- Due to the variances of this mounting the lamp can be installed in perfect alignment with the direction of traffic and is locked in place with grub screws (for example underneath the instruments)
- Simply replace the shaft nut of the brake or clutch lever by this shank nut
- The clamping sheet can also be installed together with the handlebar mirror
- Sold each



**DESCRIPTION**  
VAR MOUNT ADAPTOR M6 BLK

**PART #**  
**2040-2466**

**MICRO S DF DARK  
INDICATOR WITH REAR-/BRAKELIGHT**

- Replaces the existing rear/brake light as well as indicators
- Sensational new rear look
- EXtranz® - Extreme Optical Transparency Technology
- Kellermann HighPower LED Technology
- Longlife Protection Guard®, IC operated, 330 kHz
- High quality metal housing, Smoke lens
- Suitable for 12 volt DC applications, with M5 x 0,5 x 6,5 mm thread
- European design protection
- ECE-tested for rear
- Article dimensions / weight: 34,5 mm length x 10 mm width x 10,5 mm height / 10 g
- Sold each



**DESCRIPTION**  
MICRO S DF DARK

**PART #**  
**2040-2274**

**MICRO S DARK  
FRONT/REAR INDICATOR**

- Strongly tinted glass – spectacularly bright
- EXtranz® - Extreme Optical Transparency Technology
- Kellermann HighPower LED Technology
- Long Life Protection Guard®, IC operated, 330 kHz
- High quality metal housing, Smoke lens
- Suitable for 12 volt DC applications, with M5 x 0,5 x 6,5 mm thread
- European design protection
- ECE-tested for front and rear
- Article dimensions / weight: 34,5 mm length x 10 mm width x 10,5 mm height / 10 g
- Sold each



**DESCRIPTION**  
MICRO S DARK

**PART #**  
**2040-2436**



**VARIABLE MOUNTING ADAPTOR M6  
FRONT**

- This adaptor offers a clean and easy solution for various mounting options and thus replaces an otherwise complex custom-made construction
- It consists of two parts: A clamping sheet and a shank nut with an M6 internal thread.  
The clamping sheet, which can be shifted and rotated on the shank nut, is compatible with any M5 threaded lamp (Atto®, micro S, Rhombus S) at every angle
- Due to the variances of this mounting the lamp can be installed in perfect alignment with the direction of traffic and is locked in place with grub screws (for example underneath the instruments)
- Simply replace the shaft nut of the brake or clutch lever by this shank nut
- The clamping sheet can also be installed together with the handlebar mirror
- Sold each

**DESCRIPTION**  
VAR MOUNT ADAPTOR M6 BLK

**PART #**  
**2040-2466**